JOURNAL OF COATINGS TECHNOLOGY

Annual Index

1980

Volume 52
Numbers 660–671
January thru December, 1980

Journal of Coatings Technology
1980 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Adhesion

Adhesion and film degradation ..... Nov., 63
Adhesion and internal strain ..... June, 35
Adhesion and internal stress ..... Sept., 57
Adhesion, pigment-polymer bond and color ..... Mar., 37
Adhesion promoters, organosilanes ..... Nov., 49

Analysis

Copper in leaching solution, by immersion absorptiometer ..... Sept., 67
Free formaldehyde, spectrophotometrically ..... Sept., 49
Residual oxidants in latex paint materials ..... Jan., 71
Residual oxidants/reductants in latex paint materials ..... May, 71

Application and Finishing

Anodic electrodeposition, coil coatings ..... Apr., 29
Autodeposition *vs* electrodeposition ..... Apr., 72
Cratering and flow modifiers ..... May, 87
Craters and popping, water-based baked coatings . July, 70
Electrodeposition bath maintenance by electro-ultrafiltration ..... Apr., 47
Leveling and flow modifiers ..... May, 87
Paint stripping, finishing line hooks and racks ... Mar., 73
Resin electrodeposition on porous layer ..... Apr., 41

Biological Materials and Processes

Fungus/mildew ..... Dec., 57
Marine fouling ..... Feb., 69

Chemical Materials and Processes

Alkyl acid phosphate-aliphatic diepoxy adduct in resins ..... Dec., 43
Amino pyrimidinium salt derivs., fungicides ..... Dec., 57
Ammoniacal zinc salts, wood preservative ..... Feb., 57
Electrophoresis and ultrafiltration, electrodeposition paint bath maintenance ..... Apr., 47
3(2H)isothiazolone-based compounds, antifouling agents ..... Feb., 69
Metal ion curing agents for chelation cross-linking ..... Feb., 73
Organosilane adhesion promoters ..... Nov., 49
Polystyrene glycol in resins ..... Dec., 49
Residual oxidants in latex coatings ..... Jan., 71
Residual oxidants/reductants in latex coatings ... May, 71
Silicone resin intermediates ..... Jan., 55
Sulfonic acid crosslinking catalysts ..... Jan., 75
Tallow-based polyols for urethane coatings ..... Feb., 63

Coatings

Acrylonitrile (free), trace determination ..... June, 49
Antifouling ..... Feb., 69; Sept., 67
Autodeposited ..... Apr., 72
Automotive ..... Dec., 43
Automotive, pigmentation ..... July, 50
Coil ..... Jan., 55; Apr., 29
Corrosion-resistant ..... Feb., 35
Exterior, clear ..... Apr., 63
Formaldehyde evolution, determination ..... Sept., 49
Fungicidal ..... Dec., 57
Maintenance ..... Jan., 55
Marine ..... Feb., 35; June, 55
Melamine resin (water-miscible) determination ... Sept., 73
Polymer—substrate interaction ..... May, 39
Skid-resistant, deck ..... Dec., 65
Solar, degradation ..... May, 55
Solubility parameters ..... Aug., 41
Submarine, Rule 66 ..... Apr., 55

Acrylic, amine-neutralized ..... Jan., 49
Acrylic, automotive ..... July, 50
Acrylic-melamine-cellulose acetate butyrate emulsion ..... Jan., 49
Acrylic, melamine crosslinked ..... Jan., 75
Alkyd, clear ..... Apr., 63
Alkyd, computer formulation ..... Aug., 47
Alkyd-silicone ..... Jan., 55
Amine Zwitterion copolymers ..... Dec., 37
Amino, etherified, crosslinking ..... Aug., 33
Coal tar—epoxy, marine ..... June, 55
Coal tar—epoxy, polyamide cured ..... Feb., 35
Epoxide, adhesion ..... Nov., 49
Epoxy ..... Feb., 35; Aug., 65
Epoxy—amine ..... May, 65
Epoxy—amine, adhesion ..... Nov., 63
Epoxy—ester, adhesion ..... Nov., 63
Epoxy/phenolic butyrate, solar ..... May, 55
Epoxy—urethane, adhesion ..... Nov., 63
Hydroxy organophosphate oligomer ..... Dec., 43
Inorganic zinc, marine ..... June, 55
Latex, cellulosic thickeners, viscosity .... Jan., 71; May, 71
Latex, exterior, zinc oxide stability ..... Sept., 79
Latex, flat, kaolin slurry ..... Mar., 49
Methacrylate emulsion, chelation crosslinking .... Feb., 73
Phenolic, clear ..... Apr., 63
Polyamide—epoxy ..... Feb., 35
Polyamide—epoxy, marine ..... June, 55
Polyester, computer formulation ..... Aug., 47

Polyester, melamine crosslinked ..... Jan., 75
Polyester—silicone ..... Jan., 55
Polyisobutyl methacrylate, adhesion ..... June, 35
Polystyrene, adhesion ..... June, 35
Polyurethane, adhesion ..... Nov., 49
Polyvinylidine fluoride/epoxy, solar ..... May, 55
Powder, flow ..... May, 87
Silicone, computer formulation ..... Aug., 47
Solvent-based, flow ..... May, 87
Styrenated alkyd, polystyrene glycol modified .... Dec., 49
Styrene—acrylic, electrodeposited ..... Apr., 29
Urethane/epoxy, solar ..... May, 55
Urethane, propoxylated fatty acids and epoxidized tallow ..... Feb., 63
Vinyl ester trimellitic anhydride—butyl acrylate amine Zwitterion copolymer ..... Dec., 37
Water-based, amine-neutralized resin ..... Oct., 41
Water-based, cosolvent evaporation ..... Jan., 63
Zinc dust, marine ..... June, 55

Coatings - Liquid Properties and Tests

Coating stability, effect on gloss ..... June, 44
Drying time, paint drier adsorption by pigments .. Nov., 39
Viscosity and stability of exterior latex zinc oxide coatings ..... Sept., 79
Viscosity, aqueous cosolvent blends ..... June, 23
Viscosity stability of latex paints, cellulosic thickeners ..... Jan., 71; May, 71

Coatings Industry

Computer applications, bibliography ..... Nov., 69
Product safety and government regulations ..... May, 77
Quality assurance ..... Oct., 53

Color and Appearance

Color applications, industrial ..... July, 83
Color drift/stability, copper phthalocyanine, water-based coatings ..... Mar., 37
Gloss, paint aging and stability ..... June, 44
Glossmeter (NRC) reference standard ..... June, 44
Pigment synergism and antagonism, automotive enamels ..... July, 50

Computer Applications

Alkyd formulation ..... Aug., 47
Coatings industry, bibliography ..... Nov., 69
Polyester formulation ..... Aug., 47
Solvent balance and evaporation rate, aqueous solvent blends ..... Nov., 27

Cure and Curing

Amine curing of epoxies ..... May, 65
Chelation crosslinking of methacrylate emulsions . Feb., 73
Crosslinking multifunctional epoxies ..... Aug., 65
Crosslinking primary amine Zwitterion copolymers ..... Dec., 37
Cure rate/gel time, crosslinked etherified amino resins ..... Aug., 33
Hexa(methoxy methyl) melamine crosslinking agents ..... Jan., 75
Isocyanate crosslinking, hydroxy organophosphate oligomers ..... Dec., 43
UV curing of methacrylate resins ..... Sept., 57

Energy

Paint stripping methods, appliance finishing line ...Mar., 73

Environment

Amine loss and solvent evaporation, water-based resins ..... Oct., 41
Atmospheric CO_2 and H_2O, effect on amine curing of epoxies ..... May, 65
Cosolvent evaporation and film drying, water-based resins ..... Jan., 63
Formaldehyde evolution from coatings and substrates ..... Sept., 49
Government regulations and product safety ..... May, 77
Marine coatings, Rule 66 ..... Apr., 55
Volatility of aromatics in petroleum thinners ..... Mar., 61

Exposures and Weathering

Accelerated and water immersion, Rule 66 marine paints ..... Apr., 55
Accelerated, salt spray, melamine crosslinked acrylics and polyesters ..... Jan., 75
Accelerated, weatherometer, silicone modified coatings ..... Jan., 55
Glycine accelerated leaching, Cu_2O antifouling paints ..... Sept., 67
High velocity seawater immersion, marine paints . Feb., 35
Membrane screening, turtle rafts, antifouling agents ..... Feb., 69
Seawater and sanitary waste immersion, marine paints ..... June, 55

Film Degradation/Deterioration and Tests

Blistering, Rule 66 marine paints ..... Apr., 55
Epoxy degradation by ester saponification, adhesion loss ..... Nov. 63
Erosion, film thickness and weight loss, silicone modified paints ..... Jan., 55
Formaldehyde evolution ..... Sept., 49
Marine coating failure, high velocity sea water ... Feb., 35
Solar coatings, degradation ..... May, 55

Film Formation

Cosolvent evaporation and film drying, water-based coatings ..... Jan., 63
Latex particle crosslinking, hydrodynamic volume and swelling ..... Oct., 33
Solvent balance and evaporation, aqueous blends, computer calcn. ..... Nov., 27
Solvent evaporation, amine loss and drying, water-based coatings ..... Oct., 41
Solvent evaporation and drying, amino resins .... Aug., 61
Solvent evaporation and drying, water-based baking coatings ..... July, 70

Film Properties (Dry Film) and Tests

Detergent and water resistance, melamine crosslinked acrylics and polyesters ..... Jan., 75
Durability, clear wood finishes ..... Apr., 63
Fungus/mildew resistance ..... Dec., 57
Skid resistance, deck coatings ..... Dec., 65
Test equipment, drawdown blade ..... Mar., 43

Government Regulations

Effect on product safety ..... May, 77

Instrumental Analysis and Methods

Auger and scanning electron microscopy, galvanized steel ..... Apr., 29

Capillary gas chromatography, trace residual monomers ..... Oct., 47
Differential scanning calorimeter, drying/solvent evaporation ..... July, 70
Dynamic spring analysis, drying/solvent evaporation ..... July, 70
Electron microscopy, electrodeposited resins ..... Apr., 41
Energy dispersive X-ray analysis, latex-Zn salt wood penetration ..... Feb., 57
Gas chromatography, aromatics in petroleum thinners ..... Mar., 61
Gas chromatography, drying/solvent evaporation . July, 70
Gas chromatography, N-P detector, free acrylonitrile ..... June, 49
IR and NMR spectroscopy, melamine resins ..... Sept., 73
IR and UV spectroscopy, electrodeposited coil coatings ..... Apr., 29
Liquid scintillation spectrometer, radioactive drier adsorption ..... Nov., 39
Pyrolysis gas chromatography, methyl methacrylate—ethyl acrylate ..... Feb., 47
Scanning electron microscopy, latex-Zn salt wood penetration ..... Feb., 57
Scanning electron microscopy, linseed oil wood penetration ..... June, 64
Scanning electron microscopy, solar coating degradation ..... May, 55
Thermal gravimetric analysis, drying/solvent evaporation ..... July, 70
Thermal gravimetric analysis, methyl methacrylate—ethyl acrylate ..... Feb., 47
X-ray diffraction analysis, crystalline pigments ... July, 79
X-ray photoelectron spectroscopy, epoxy degradation and adhesion ..... Nov., 63
X-ray photoelectron spectroscopy, organosilane adhesion promoters ..... Nov., 49

Interfacial Phenomena

Drier adsorption by pigments ..... Nov., 39
Epoxy degradation by ester saponification and adhesion loss ..... Nov., 63
Polymer-substrate interactions ..... May, 39

Manufacturing

Color science applications ..... July, 83
Kaolin slurry *vs* dry, flat latex coatings ..... Mar., 49
Quality assurance ..... Oct., 53

Oils and Fatty Acids

Epoxidized tallow, urethane coatings ..... Feb., 63
Linseed, penetration into wood ..... June, 64
Propoxylated fatty acids, urethane coatings ..... Feb., 63

Paint Additives

Biologically active agents, antifouling ..... Feb., 69
Biologically active agents, fungicidal ..... Dec., 57
Cellulosic thickeners for latex paints .... Jan., 71; May, 71
Emulsifying agents, acrylic-melamine-cellulose acetate butyrate emulsions ..... Jan., 49
Flow modifiers, action mechanism ..... May, 87
Metal driers, adsorption by pigments, radioactive tracer study ..... Nov., 39
Surfactants for zinc oxide exterior latex coatings . Sept., 79

Pigments and Extenders

Copper phthalocyanine, color stability in water-based coatings ..... Mar., 37
Kaolin slurry *vs* dry, flat latex coatings ..... Mar., 49
Toxic, Cu_2O, alkaline glycine leaching from antifouling coatings ..... Sept., 67
Zinc oxide in exterior coatings ..... Sept., 79

Adsorption of metal driers on pigments, radioactive study ..... Nov., 39
Extender slurry—TiO_2 interactions ..... Mar., 49
Pigment-water reducible polymer bond, adhesion and color ..... Mar., 37
Synergism and antagonism in automotive enamels July, 50
X-ray diffraction analysis ..... July, 79

Pollution and Wastes Control

Paint recovery from electrodeposition paint baths and rinses, by electroultrafiltration ..... Apr., 47

Polymers and Resins

2-acetoacetoxypropyl methacrylate chelatable emulsions ..... Feb., 73
Acrylic, amine neutralized ..... Jan., 49
Acrylic, electrodeposited ..... Apr., 41
Acrylic, melamine crosslinked ..... Jan., 75
Acrylic—melamine—cellulose acetate butyrate emulsion ..... Jan., 49
Alkyd ..... Apr., 63
Alkyd, computer formulation ..... Aug., 47
Alkyd, silicone-modified ..... Jan., 55
Amine-neutralized water-based, amine loss ..... Oct., 41
Amine Zwitterion copolymers ..... Dec., 37
Amino, etherified, crosslinking ..... Aug., 33
Amino, solvent evaporation and drying ..... Aug., 61
Coal tar—epoxy ..... June, 55
Coal tar—epoxy, polyamide cured ..... Feb., 35
Epoxy ..... Feb., 35
Epoxy, multifunctional ..... Aug., 65
Hydroxyorganophosphate oligomer ..... Dec., 43
Melamine, electrodeposited ..... Apr., 41
Methacrylate, UV curable ..... Sept., 57
Methyl methacrylate—ethyl acrylate, thermal decomposition ..... Feb., 47
Phenolic ..... Apr., 63
Polyamide—epoxy ..... Feb., 35; June, 55
Poly (butyl acrylate) latex, crosslinking ..... Oct., 33
Polyester, computer formulation ..... Aug., 47
Polyester, melamine crosslinked ..... Jan., 75
Polyester, silicone modified ..... Jan., 55
Silicone, computer formulation ..... Aug., 47
Styrenated alkyds, polystyrene glycol modified ... Dec., 49
Urethane, propoxylated fatty acids and epoxidized tallow ..... Feb., 63
Vinyl ester trimellitic anhydride—butyl acrylate amine Zwitterion copolymer ..... Dec., 37

Film durability—resin properties relation ..... Apr., 63
Formaldehyde evolution, determination ..... Sept., 49
Free acrylonitrile, trace determination ..... June, 49
Hydrodynamic volume and swelling ratio in latex crosslinking ..... Oct., 33
Pigment—water reducible polymer bond, adhesion and color ..... Mar., 37
Polymer—substrate interactions ..... May, 39
Resin electrophoresis and electrodeposition ..... Apr., 41
Trace residual monomers (acrylates, methacrylates, styrene), determination ..... Oct., 33
Water-miscible melamine resins, determination ... Sept., 73

Solvents and Plasticizers

Acrylic-melamine-cellulose acetate butyrate emulsion solvents ..... Jan., 49
Aqueous blends, solvent balance and evaporation, computer calculation ..... Nov., 27
Aqueous blends, viscosity ..... June, 23
Benzene, toluene and xylene, evaporation rate/volatility in petroleum thinners ..... Mar. 61
Cosolvent evaporation and film drying, water-based coatings ..... Jan., 63
Paint strippers/removers for appliance finishing line, energy costs ..... Mar., 73
Petroleum thinners, aromatic content by fractional distillation ..... Mar., 61
Photochemical activity ..... Apr., 55
Rule 66 formulation ..... Apr., 55
Solubility parameters ..... Aug., 41
Solvent evaporation, amine loss and drying, water-based amine-neutralized resins ..... Oct., 41
Solvent evaporation and drying, amino resins .... Aug., 61
Solvent evaporation and drying, water-based baking coatings ..... July, 70

Substrates or Surfaces to be Coated

Galvanized steel, effect of pretreatment on electrodeposition ..... Apr., 29
Pine (wood), penetration by ammoniacal Zn salt—latex coating ..... Feb., 57
Polymer—substrate interactions ..... May, 39
Steel, effect of phosphate coating on film degradation and adhesion ..... Nov., 63
White spruce (wood), penetration by linseed oil .. June, 64

Surface Preparation and Pretreatment

Ammoniacal Zn salt—latex wood preservative ... Feb., 57
Inorganic metal pretreatment by autodeposition .. Apr., 72
Linseed oil wood penetrant ..... June, 64
Pretreatments, effect on electrodeposition of coil coatings ..... Apr., 29
Zinc phosphate coating, effect on film degradation and adhesion ..... Nov., 63

Alphabetical Listing of Papers

A

Action Mechanisms of Flow Modifiers—L. Feyt and H. Bauwin, May, p. 87.
Adhesion Loss Due to Internal Strain—S.G. Croll, June, p. 35.
Adhesive Characteristics of Ultraviolet Curable Resins—K. Nate and T. Kobayashi, Sept., p. 57.
Amine Loss from Water-Soluble Polymer Solutions Expressed as Simple Solvent Evaporation—P. Kamarchik, Jr., Oct., p. 41.
Anodic Electrodeposition of Paint for Coil Coating Galvanized Steel—J.V. Standish and F.J. Boerio, Apr., p. 29.
Application of Hydrodynamic Volume and Swelling Theory to the Crosslinking of Latex Particles—G.M. Crews, G.C. Wildman, J.R. Grawe, and B.G. Bufkin, Oct., p. 33.
Atmospheric Gases and the Hardening of an Amine-Cured Epoxy Coating—S.G. Croll, May, p. 65.
Autodeposition: A Survey of a New Water-Borne Coatings Technology—W.S. Hall, Apr., p. 72.

C

Chelation as a Means of Developing Crosslinking Emulsions—J.R. Grawe and B.G. Bufkin, Feb., p. 73.
A Computer Method for Predicting Evaporation of Multicomponent Aqueous Solvent Blends at any Humidity—A.L. Rocklin and D.C. Bonner, Nov., p. 27.
Condensation Polymer Formulation in the Age of Oligomers—L.H. Brown, Aug., p. 47.
Copolymers of Polystyrene Glycol and Glyceryl Phthalate Resins in Surface Coatings—S. Chandra and S. Pasari, Dec., p. 49.
Copper Phthalocyanine (CPC) Pigments in Industrial Water-Borne Systems—P.G. Schmidt, Mar., p. 37.
Current Developments in Steel Appliance Finishes—American Iron and Steel Institute, June, p. 68.

D

Degradation Mechanism of Solar Coatings Observed by Scanning Electron Microscopy—M.A. Post and D. Ballard, May, p. 55.
Determination of Formaldehyde Emanating from Industrial Substrates and Coatings—M.W. Cox and D.E. Moberly, Sept., p. 49.
Determination of Trace Quantities of Acrylonitrile in Resins and Paints by Gas Chromatography—L.K. Austin and G.P. Cunningham, June, p. 49.
Determination of Water-Miscible Melamine Resins in Water-Based and Solvent-Based Coatings—J.B. Lear, Sept., p. 73.
n-Dodecyl-substituted Aminopyrimidinium Salt Derivatives as Paint Film Antifungal Agents—N. Grier, Dec., p. 57.

E

Effect of Catalyst Structure on the Properties of Coatings Crosslinked with Hexa(methoxymethyl)melamine—L.J. Calbo, Jan., p. 75.
Electrodeposition of Resin Particles on Alumina Oxide Film—M. Ashida and Y. Ueda, Apr., p. 41.
Emulsification of Thermosetting Acrylic/Melamine Coatings—L.G. Curtis, Jan., p. 49.
Energy Considerations in Stripping Paint from Hooks and Racks—C.J. Madigan, Mar., p. 73.
Evaluation of Rule 66 Paints as Submarine Coatings—D.E. Leone and E.C. Hobaica, Apr., p. 55.
Evaporation Behavior of Organic Cosolvents in Water-Borne Formulations—R.F. Eaton and F.G. Willeboordse, Jan., p. 63.
Evaporation of Solvents from Water-Borne Systems During Baking—T. Imai and K. Tsubouchi, July, p. 71.

F

Film Erosion Studies of Silicone-Modified Copolymer Paints—W.A. Finzel, Jan., p. 55.

H

High Solids Coatings from New Organophosphorus Resins—M.S. Chatta, Dec., p. 43.

I

The Impact of Governmental Regulations on Product Safety Management—R.T. Gottesman, May, p. 77.
An Improved Drawdown Blade—D.A. Holtzen, Mar., p. 43.
3(2H) Isothiazolone, A New Class of Antifouling Toxicant—G.A. Miller and T. Lovegrove, Feb., p. 69.

M

Microscopic Distribution of Linseed Oil after Application to Wood Surface—M.H. Schneider, June, p. 64.
Multifunctional Epoxy Resins Come of Age—M. DiBenedetto, Aug., p. 65.

N

Natural Occurrence and Volatility of Benzene, Toluene, and Xylene in Petroleum Thinners—W.H. Ellis and C.D. McLaughlin, Mar., p. 61.
New Formulating Parameters in the Switch from Bag to Slurry Clay—T.G. Brown, W.S. Stoy, and B.P. Scibek, Mar., p. 49.
Nomograms for Solubility Parameter—A. Jayasri and M. Yaseen, Aug., p. 41.
Nondestructive Drying of Amino Resin Solutions—S.M. Kambanis and J. Rybicky, Aug., p. 61.

O

Organo-Silanes as Adhesion Promoters for Organic Coatings—P. Walker, Nov., p. 49.
An Overview of Quality Assurance—H.M. Werner, Oct., p. 53.

P

Performance of Selected Marine Coatings Exposed to High Velocity Seawater—G.A. Gehring, Feb., p. 35.
Physical Chemical Models for Organic Protective Coatings—C.A. Kumins, May, p. 39.
Pigment Synergism and Pigment Antagonism in Automotive Pigmentation—S. Panush, July, p. 50.
Predicting Durability of Clear Finishes for Wood from Basic Properties—H.E. Ashton, Apr., p. 63.
Primary Amine Zwitterion Copolymers—Z.W. Wicks and C-W. Koay, Dec., p. 37.
Processing Electrodeposition Paints by Combined Ultrafiltration and Electrophoresis—J.M. Radovich, B.M. Dotson, and C-P. Ho, Apr., p. 47.
Pyrolysis Gas Chromatographic Analysis (PGC) of Methyl Methacrylate (MMA)-Ethyl Acrylate (EA) Copolymers—S. Paul, Feb., p. 47.

Q

Quantitative Pigment Analysis by X-ray Diffraction—P. Kamarchik, Jr., July p. 79.

R

Radioisotope Tracer Technique of Measuring Adsorption of Paint Driers by Pigments—E.D. Matsui, Nov., p. 39.
Reactivity of Etherified Aminoplast Resins—J.O. Santer and G.J. Anderson, Aug., p. 33.
Research Director's Report—R.R. Myers, July, p. 65.

S

Service Life Performance of Marine Coatings and Paint Systems—F. Matanzo, June, p. 55.
A Simplified Quality Control Method Applicable to Copper(I) Oxide Based Antifouling Paints—F. Marson, Sept., p. 67.
Skid Resistant Coatings for Aircraft Carrier Decks—S.H. Davang and H. Dear, Dec., p. 65.
Stability Problems in Gloss Measurements—W. Budde and C.X. Dodd, June, p. 44.
Surface Analysis of Interfacial Chemistry in Corrosion-Induced Paint Adhesion Loss II. Effects of Resin Chemistry and Substrate Pretreatment on Adhesion Loss Mechanism—J.W. Holubka, J.S. Hammond, J.E. DeVries, and R.A. Dickie, Nov., p. 63.

T

Technical Computer Applications in the Coatings Industry. A Bibliography—1967-79—Technical Information Systems Committee, Nov., p. 69.
Three Unsolved Color Perception Problems Fundamental to Achieving Better Results in Industrial Applications of Color Science—R.G. Kuehni, July, p. 83.
Trace Residual Monomer Analysis by Capillary Gas Chromatography—K.J. Rygle, Oct., p. 47.

U

Urethane Coatings from Propoxylated Fatty Acids and Epoxied Tallow—M. Zubillaga and E. Saggese, Feb., p. 63.
Use of Amines to Inhibit Viscosity Loss in Latex Paints Caused by the Presence of Oxidants and Reductants—H. Winters, May, p. 71.

V

Viscosity Loss in Hydroxyethyl Cellulose Thickened Latex Paints Caused by Chemical Oxidants: Methods of Detection—V.L. Irwin and M.M. Williams, Jan., p. 71.
Viscosity Phenomena II: Predicting Viscosities of Aqueous Blends Containing a Maximum of 50%w of One or More Organic Solvents—A.L. Rocklin and J.A. Barnes, June, p. 23.

W

Water-Borne Surface Treatment for Wood Based on Zinc Salts and a Latex: An SEM/EDXA Investigation—R.L. Desai and W.A. Cote, Jr., Feb., p. 57.

Z

Zinc Oxide Stability in Exterior Latex Paints—Zinc Institute, Inc., Sept., p. 79.

Author Index

A

AMERICAN IRON and STEEL INSTITUTE—Current Developments in Steel Appliance Finishes, June, p. 68.
ANDERSON, G.J.—See Santer, J.O.
ASHIDA, M. and UEDA, Y.—Electrodeposition of Resin Particles on Alumina Oxide Film, Apr., p. 41.
ASHTON, H.E.—Predicting Durability of Clear Finishes for Wood from Basic Properties, Apr., p. 63.
AUSTIN, L.K. and CUNNINGHAM, G.P.—Determination of Trace Quantities of Acrylonitrile in Resins and Paints by Gas Chromatography, June, p. 49.

B

BALLARD, D.—See Post, M.A.
BARNES, J.A.—See Rocklin, A.L.
BAUWIN, H.—See Feyt, L.
BOERIO, F.J.—See Standish, J.V.
BONNER, D.C.—See Rocklin, A.L.
BROWN, L.H.—Condensation Polymer Formulation in the Age of Oligomers, Aug., p. 47.
BROWN, T.G., STOY, W.S. and SCIBEK, B.P.—New Formulating Parameters in the Switch from Bag to Slurry Clay, Mar., p. 49.
BUDDE, W. and DODD, C.X.—Stability Problems in Gloss Measurements, June, p. 44.
BUFKIN, B.G.—See Crews, G.M.

C

CALBO, L.J.—Effect of Catalyst Structure on the Properties of Coatings Crosslinked with Hexa(methoxymethyl)melamine, Jan., p. 75.
CHANDRA, S. and PASARI, S.—Copolymers of Polystyrene Glycol and Glyceryl Phthalate in Surface Coatings, Dec., p. 49.
CHATTA, M.S.—High Solids Coatings from New Organophosphorus Resins, Dec., p. 43.
COX, M.W. and MOBERLY, D.E.—Determination of Formaldehyde Emanating from Industrial Substrates and Coatings, Sept. p. 49.
CREWS, G.M., WILDMAN, G.C., GRAWE, J.R., and BUFKIN, B.G.—Application of Hydrodynamic Volume and Swelling Theory to the Crosslinking of Latex Particles, Oct., p. 33.
CROLL, S.G.—Adhesion Loss Due to Internal Strain, June, p. 35.
CROLL, S.G.—Atmospheric Gases and the Hardening of an Amine-Cured Epoxy Coating, May, p. 65.
CUNNINGHAM, G.P.—See Austin, L.K.
CURTIS, L.G.—Emulsification of Thermosetting Acrylic/Melamine Coatings, Jan., p. 49.

D

DAVANG, S.H. and DEAR, H.—Skid Resistant Coatings for Aircraft Carrier Decks, Dec., p. 65.
DEAR, H.—See Davang, S.H.
DEVRIES, J.E.—See Holubka, J.W.
DIBENEDETTO, M.—Multifunctional Epoxy Resins Come of Age, Aug., p. 65.
DICKIE, R.A.—See Holubka, J.W.
DODD, C.X.—See Budde, W.
DOTSON, B.M.—See Radovich, J.M.

E

EATON, R.F. and WILLEBOORDSE, F.G.—Evaporation Behavior of Organic Cosolvents in Water-Borne Formulations, Jan., p. 63.
ELLIS, W.H. and MCLAUGHLIN, C.D.—Natural Occurrence and Volatility of Benzene, Toluene, and Xylene in Petroleum Thinners, Mar., p. 61.

F

FEYT, L. and BAUWIN, H.—Action Mechanisms of Flow Modifiers, May, p. 87.

G

GOTTESMAN, R.T.—The Impact of Governmental Regulations on Product Safety Management, May, p. 77.
GRAWE, J.R.—See Crews, G.M.
GRIER, N.—n-Dodecyl-substituted Aminopyrimidinium Salt Derivatives as Paint Film Antifungal Agents, Dec., p. 57.

H

HALL, W.S.—Autodeposition: A Survey of a New Water-Borne Coatings Technology, Apr., p. 72.
HAMMOND, J.S.—See Holubka, J.W.
HO, C-P—See Radovich, J.M.
HOBAICA, E.C.—See Leone, D.E.
HOLTZEN, D.A.—An Improved Drawdown Blade, Mar., p. 43.
HOLUBKA, J.W., HAMMOND, J.S., DEVRIES, J.E., and DICKIE, R.A.—Surface Analysis of Interfacial Chemistry in Corrosion-Induced Paint Adhesion Loss II. Effects on Adhesion Loss Mechanism, Nov., p. 63.

I

IMAI, T. and TSUBOUCHI, K.—Evaporation of Solvents from Water-Borne Systems During Baking, July, p. 71.
IRWIN, V.L. and WILLIAMS, M.M.—Viscosity Loss in Hydroxyethyl Cellulose Thickened Latex Paints Caused by Chemical Oxidants: Methods of Detection, Jan., p. 71.

J

JAYASRI, A. and YASEEN, M.—Nomograms for Solubility Parameter, Aug., p. 41.

K

KAMARCHIK, P., JR.—Amine Loss from Water-Soluble Polymer Solutions Expressed as Simple Solvent Evaporation, Oct., p. 41.
KAMARCHIK, P., JR.—Quantitative Pigment Analysis by X-ray Diffraction, July, p. 79.
KAMBANIS, S.M. and RYBICKY, J.—Nondestructive Drying of Amino Resin Solutions, Aug., p. 61.
KOAY, C.W.—See Wicks, Z.W.
KOBAYASHI, T.—See Nate, K.
KUEHNI, R.G.—Three Unsolved Color Perception Problems Fundamental to Achieving Better Results in Industrial Applications of Color Science, July, p. 83.
KUMINS, C.A.—Physical Models for Organic Protective Coatings, May, p. 39.

L

LEAR, J.B.—Determination of Water-Miscible Melamine Resins in Water-Based and Solvent-Based Coatings, Sept., p. 73.
LEONE, D.E. and HOBAICA, E.C.—Evaluation of Rule 66 Paints as Submarine Coatings, Apr., p. 55.

M

MADIGAN, C.J.—Energy Considerations in Stripping Paint from Hooks and Racks, Mar., p. 73.
MATSUI, E.D.—Radioisotope Tracer Technique of Measuring Adsorption of Paint Driers by Pigments, Nov., p. 39.
MARSON, F.—A Simplified Quality Control Method Applicable to Copper(I) Oxide Based Antifouling Paints, Sept., p. 67.
MATANZO, F.—Service Life Performance of Marine Coatings and Paint Systems, June, p. 55.
MCLAUGHLIN, C.D.—See Ellis, W.H.
MOBERLY, D.E.—See Cox, M.W.
MYERS, R.R.—Research Director's Report, July, p. 65.

N

NATE, K. and KOBAYASHI, T.—Adhesive Characteristics of Ultraviolet Curable Resins, Sept., p. 57.

P

PANUSH, S.—Pigment Synergism and Pigment Antagonism in Automotive Pigmentation, July, p. 50.
PASARI, S.—See Chandra, S.
POST, M.A. and BALLARD, D.—Degradation Mechanisms of Solar Coatings Observed by Scanning Electron Microscopy, May, p. 55.

R

RADOVICH, J.M., DOTSON, B.M., and HO, C-P—Processing Electrodeposition Paints by Combined Ultrafiltration and Electrophoresis, Apr., p. 47.
ROCKLIN, A.L. and BARNES, J.A.—Viscosity Phenomena II: Predicting Viscosities of Aqueous Blends Containing a Maximum of 50%w of One or More Organic Solvents, June, p. 23.
ROCKLIN, A.L. and BONNER, D.C.—A Computer Method for Predicting Evaporation of Multicomponent Aqueous Solvent Blends at Any Humidity, Nov., p. 27.
RYBICKY, J.—See Kambanis, S.M.
RYGLE, K.J.—Trace Residual Monomer Analysis by Capillary Gas Chromatography, Oct., p. 47.

S

SANTER, J.O. and ANDERSON, G.J.—Reactivity of Etherified Aminoplast Resins, Aug., p. 33.
SCHMIDT, P.G.—Copper Phthalocyanine (CPC) Pigments in Industrial Water-Borne Systems, Mar., p. 37.
SCHNEIDER, M.H.—Microscopic Distribution of Linseed Oil after Application to Wood Surface, June, p. 64.
SCIBEK, B.P.—See Brown, T.G.
STANDISH, J.V. and BOERIO, F.J.—Anodic Electrodeposition of Paint for Coil Coatings Galvanized Steel, Apr., p. 29.
STOY, W.S.—See Brown, T.G.

T

TECHNICAL INFORMATION SYSTEMS COMMITTEE—Technical Computer Applications in the Coatings Industry. A Bibliography—1967–79, Nov., p. 69.
TSUBOUCHI, K.—See Imai, T.

U

UEDA, Y.—See Ashida, M.

W

WALKER, P.—Organo-Silanes as Adhesion Promoters for Organic Coatings, Nov., p. 49.
WERNER, H.M.—An Overview of Quality Assurance, Oct., p. 53.
WICKS, Z.W. and KOAY, C.-W.—Primary Amine Zwitterion Copolymers, Dec., p. 37.
WILDMAN, G.C.—See Crews, G.M.
WILLEBOORDSE, F.G.—See Eaton, R.F.
WILLIAMS, M.M.—See Irwin, V.L.
WINTERS, H.—Use of Amines to Inhibit Viscosity Loss in Latex Paints Caused by the Presence of Oxidants and Reductants, May, p. 71.

Y

YASEEN, M.—See Jayasri, A.

Z

ZINC INSTITUTE, INC.—Zinc Oxide Stability in Exterior Latex Paints, Sept., p. 79.

Proceedings Of the Paint Research Institute

No. 138—Research Director's Report, July, p. 65.
No. 139—Application of Hydrodynamic Volume and Swelling Theory to the Crosslinking of Latex Particles, Oct., p. 33.